

CERTIFICATE OF ANALYSIS

* FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.

CITRUS 10/14/24 (EDIBLE LIQUID) // PRODUCED: NOV 22, 2024

CLIENT: COVES AND CLIFFS LLC // BATCH: PASS



MATRIX: EDIBLE LIQUID ¹
DENSITY: 1.0121 g/ml ²
SAMPLE ID: NAL-241119-043
COLLECTED ON: NOV 19, 2024
RECEIVED ON: NOV 19, 2024
SAMPLE SIZE: 355 ML ¹
SAMPLED BY: COVES AND CLIFFS LLC
RECEIVED BY: KAYLIN KEITH
SERVING SIZE: 355 ML ¹
PACKAGE SIZE: 355 ML ¹

CANNABINOID OVERVIEW

CBD: 8.44 mg/srv
CBC: 0.00 mg/srv
TOTAL CANNABINOIDS: 8.44 mg/srv

¹ ENTERED BY CLIENT, ² ENTERED BY LAB

BATCH RESULT: PASS

POTENCY TESTED
MICROBIAL PASS

CAN.1: POTENCY & CANNABINOID PROFILE BY HPLC-UV
PREPARATION: NOV 20, 2024 // ANALYSIS: NOV 21, 2024

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
CBC		ND	ND	0.00250/0.00500	N/A
CBGA		ND	ND	0.00250/0.00500	N/A
CBD	0.00235 %	0.0238 mg/ml	0.0238 mg/ml	0.00250/0.00500	N/A
CBDA		ND	ND	0.00250/0.00500	N/A
CBDV		ND	ND	0.00250/0.00500	N/A
CBDA		ND	ND	0.00250/0.00500	N/A
CBG		ND	ND	0.00250/0.00500	N/A
CBGA		ND	ND	0.00250/0.00500	N/A
CBL		ND	ND	0.00500/0.00500	N/A
CBLA		ND	ND	0.00250/0.00500	N/A
CBN		ND	ND	0.00250/0.00500	N/A
CBNA		ND	ND	0.00250/0.00500	N/A
Δ ⁸ -THC		ND	ND	0.00500/0.00500	N/A
Δ ⁸ -THCA		ND	ND	0.00500/0.00500	N/A
Δ ⁹ -THC		ND	ND	0.00250/0.00500	N/A

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/ml)	PASS/FAIL
Δ ¹⁰ -THC		ND	ND	0.00250/0.00500	N/A
EXO-THC		ND	ND	0.00500/0.00500	N/A
THCA		ND	ND	0.00500/0.00500	N/A
THCV		ND	ND	0.00250/0.00500	N/A
THCVA		ND	ND	0.00250/0.00500	N/A
TOTAL THC**		ND	ND		N/A
TOTAL CBD**		0.00235 %	0.0238 mg/ml		N/A
CBD/SRV		8.44 mg			N/A
Δ ⁹ -THC/SRV		ND			N/A
TOTAL THC/SRV**		ND			N/A
TOTAL CBD/SRV**		8.44 mg			N/A
CBD/PKG		8.44 mg			N/A
Δ ⁹ -THC/PKG		ND			N/A
TOTAL THC/PKG**		ND			N/A
TOTAL CBD/PKG**		8.44 mg			N/A

** TOTAL CBD = (CBDA X 0.877) + CBD

** TOTAL THC = (THCA X 0.877) + THC

Reported on an as received basis

1000 µg/g = 1 mg/g



AUTHORIZED BY:
ZACHARY SMITH
LABORATORY MANAGER, NOVA
ANALYTIC LABS
NOV 22, 2024

TOTAL YEAST AND MOLD BY MOST PROBABLE NUMBER
PREPARATION: NOV 19, 2024 // ANALYSIS: NOV 22, 2024

ANALYTE	LIMIT	AMT (CFU/g)	LOD/LOQ (CFU/g)	PASS/FAIL
YEAST & MOLD	10000 CFU/g	ND	100/100	PASS

NOTES

ZACHARY SMITH
NOV 22, 2024

POTENCY & CANNABINOID PROFILE BY HPLC-UV
THE STANDARD LAB UNCERTAINTY FOR POTENCY IS 5% OF THE REPORTED VALUE.

** FOR QUALITY ASSURANCE PURPOSES. NOT A MAINE COMPLIANCE CERTIFICATE.*

ALL TESTS WERE PERFORMED IN ACCORDANCE WITH THE RULES AND REGULATIONS SET FORTH IN THE MAINE ADULT USE PROGRAM. LABORATORY SAMPLING PROTOCOLS ARE GOVERNED BY THE OCP'S SAMPLING GUIDANCE DOCUMENTS. ALL INFORMATION PROVIDED BY THE CLIENT, INCLUDING SELF SAMPLING, MUST BE ACCURATE AND ADHERE TO THE SAME RULES AND REGULATIONS. HOWEVER, CLIENT PROVIDED INFORMATION, INCLUDING SAMPLING, IS ULTIMATELY THE RESPONSIBILITY OF THE PROVIDING LICENSEE, REGISTERED CAREGIVER, PATIENT OR THE LIKE AND FAILURE TO FOLLOW SAID PROTOCOLS COULD LEAD TO ERRONEOUS TEST RESULTS. NOTE: NOT ALL POTENTIAL AND/OR EXISTING HAZARDS WERE ANALYZED. THIS CERTIFICATE OF ANALYSIS IS RELEVANT ONLY TO THOSE ITEMS TESTED. THE SAMPLE WAS PROVIDED TO THE LABORATORY FOR TESTING BY THE CLIENT AND THE SAMPLE WAS TESTED AS RECEIVED.

END OF REPORT

